

SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Neutra-Scope Detergent

Page 1/8

Revision 4 Revision date 2023-01-24

| SECTION 1: Identification of | the substance/mixture and of the company/undertaking | |
|---|--|--|
| 1.1. Product identifier | | |
| Product name | Neutra-Scope Detergent | |
| Product code | 1034/1035/1034U/1034E/103420 | |
| 1.3. Details of the supplier of the safety data sheet | | |
| Company | Serchem Limited | |
| Address | Heatherset | |
| | Arleston, off Dawley Road | |
| | Wellington, | |
| | Telford | |
| | Shropshire TF1 2LY | |
| | United Kingdom | |
| Web | www.serchem.co.uk | |
| Telephone | 01952 223130 | |
| Fax | 01952 222012 | |
| | | |
| Email | support@serchem.co.uk | |
| Email address of the competent person | production@serchem.co.uk | |
| | | |
| 1.4. Emergency telephone numb | | |
| Emergency telephone number | 01952 223130 | |
| | 9.00 am - 5.00 pm Mon - Fri | |
| | The National Poisons Information Service (NPIS) | |
| | Industry: sds.npis@nhs.net | |
| | Public: NHS 111 (England), NHS 24 (Scotland) or NHS Direct (Wales) | |
| Further information | | |
| | Contact out of office hours: 07734 874648 Mr A Arnold. | |
| SECTION 2: Hazards identifi | ication | |
| 2.2. Label elements | | |
| Risk phrases | No Significant Hazard | |
| 2.3. Other hazards | | |
| Other hazards | This product is not classed as a PBT Substance. | |
| SECTION 3: Composition/inf | formation on ingredients | |
| 3.2. Mixtures | | |

3.2. Mixtures



Revision 4 Revision date 2023-01-24

3.2. Mixtures

| EC ² | 1272/2008 |
|-----------------|-----------|
|-----------------|-----------|

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---|--------------|------------|-----------|------------------------------|-----------------|---|
| monopropylene glycol (Propane-1,2-diol total vapour and particulates) | | 57-55-6 | 200-338-0 | | 20 - 30% | |
| Isopropanol (Propan-2-ol) | 603-117-00-0 | 67-63-0 | 200-661-7 | | 1 - 10% | Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; |
| Sodium gluconate | | 527-07-1 | 208-407-7 | | 1 - 10% | |
| Trisodium -2- Hydroxypropane 1,2,3 Tricarboxylate | | 6132-04-3 | 200-675-3 | | 1 - 10% | |
| Sodium N-(2-carboxyethyl)-N- (2-ethylhexyl)-beta-alaninate | | 94441-92-6 | 305-318-6 | | 0 - 0.5% | |
| boric acid powder | 005-007-00-2 | 10043-35-3 | 233-139-2 | | 0 - 0.5% | 9 Repr. 1B: H360Fd; |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Remove casualty from exposure ensuring one's own safety whilst doing so. Seek medical attention if irritation or symptoms persist. |
|------------------------------|--|
| Eye contact | Avoid contact with eyes. Eye wash bottle with water. Remove casualty from exposure ensuring one's own safety whilst doing so. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist. Wash with water. |
| Skin contact | After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove casualty from exposure ensuring one's own safety whilst doing so. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. Wash with water. |
| Ingestion | DO NOT INDUCE VOMITING. If swallowed, rinse mouth with water (only if the person is conscious). Never give anything by mouth to an unconscious person. Remove casualty from exposure ensuring one's own safety whilst doing so. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist. |
| 4.2. Most important symptoms | and effects, both acute and delayed |

Inhalation Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist. Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids Eye contact open. Seek medical attention if irritation or symptoms persist. Wash with water. Remove the affected person from the source of contamination immediately. Wash with water. Skin contact Avoid contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist. Wash with water. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Ingestion DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.

4.3. Indication of any immediate medical attention and special treatment needed

| Inhalation | Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist. |
|--------------|--|
| Eye contact | Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist. Wash with water. |
| Skin contact | After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist. Wash with water. |

| 4.3. Indication of any immediate medical attention and special treatment needed | | | |
|---|---|--|--|
| Ingestion | DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist. | | |
| SECTION 5: Firefighting mea | asures | | |
| 5.1. Extinguishing media | | | |
| | Use extinguishing media appropriate to the surrounding fire conditions. | | |
| 5.2. Special hazards arising from | n the substance or mixture | | |
| | No Significant Hazard. | | |
| 5.3. Advice for firefighters | | | |
| | Protective equipment. Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary. | | |
| SECTION 6: Accidental relea | ase measures | | |
| 6.1. Personal precautions, prote | ctive equipment and emergency procedures | | |
| | Adopt best Manual Handling considerations when handling, carrying and dispensing. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. In case of accident by inhalation: remove casualty to fresh air and keep at rest. Provide eye wash station. Wear protective clothing. Wear suitable gloves and eye/face protection. | | |
| 6.2. Environmental precautions | | | |
| | Accidental release measures. Dilute with water. local and national regulations. To clean the floor and all objects contaminated by this material, use water. Wash with water. | | |
| 6.3. Methods and material for co | ontainment and cleaning up | | |
| | Absorb with inert, absorbent material. Clean spillage area thoroughly with plenty of water. Clean the area using a vacuum cleaner. Empty containers can be cleaned with water. Empty containers can be sent for disposal or recycling. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. local and national regulations. Wear suitable gloves and eye/face protection. | | |
| 6.4. Reference to other sections | | | |
| | See section 2,3,8, 13 for further information. | | |
| SECTION 7: Handling and s | torage | | |
| 7.1. Precautions for safe handlin | NG | | |
| | After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Do not eat, drink or smoke in areas where this product is used or stored. Eye protection. Handle and open container with care. Keep in a cool, dry, well ventilated area. Keep only in the original container at a temperature not exceeding 25 °C. Keep out of the reach of children. Wear suitable protective clothing, gloves and eye/face protection. | | |
| 7.2. Conditions for safe storage, | including any incompatibilities | | |
| | Do NOT allow to freeze. Handle and open container with care. Keep away from food, drink and animal feedingstuffs. Keep only in the original container in a cool, well-ventilated place. Store at temperatures between 5 °C and 25 °C. Store in original container. | | |
| Suitable packaging | Keep only in the original container in a cool, well-ventilated place. | | |
| 7.3. Specific end use(s) | | | |
| | Avoid contact with eyes. Avoid contact with skin. Do not eat, drink or smoke in areas where this product is used or stored. Do not handle in a confined space. Keep out of the reach of children. | | |



| 7.3. Specific end use(s) | |
|---------------------------|--|
| | Wear suitable gloves. Wear suitable protective clothing. Wear suitable protective equipment. Wear suitable eye protection. |
| Suitable packaging | |
| | Do NOT mix with any other product. Intended use. |
| SECTION 8: Exposure contr | ols/personal protection |
| 8.1. Control parameters | |
| | |
| | See section 8.2 for further information. |

8.1.1. Exposure Limit Values



 Revision
 4

 Revision date
 2023-01-24

| 8.1.1. Exposure Limit Va |
|--------------------------|
|--------------------------|

| Isopropanol (Propan-2-ol) | WEL 8-hr limit ppm: 400 | WEL 8-hr limit mg/m3: 999 |
|---|--|--|
| | WEL 15 min limit ppm: 500 | WEL 15 min limit mg/m3: 1250 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| | ATE ORL-CAT 1- H300: | ATE ORL-CAT 2- H300: |
| | ATE ORL-CAT 3- H301: | ATE ORL-CAT 4- H302: |
| | ATE DRM-CAT 1- H310: | ATE DRM-CAT 2- H310: |
| | ATE DRM-CAT 3- H311: | ATE DRM-CAT 4- H312: |
| | ATE INH-GAS- CAT 1- H330: | ATE INH-GAS- CAT 2- H330: |
| | ATE INH-GAS- CAT 3- H331: | ATE INH-GAS- CAT 4- H332: |
| | ATE INH-VAP- CAT 1- H330: | ATE INH-VAP- CAT 2- H330: |
| | ATE INH-VAP- CAT 3- H331: | ATE INH-VAP CAT 4- H332: |
| | ATE INH-D/M- CAT 1- H330: | ATE INH-D/M- CAT 2- H330: |
| | ATE INH-D/M- CAT 3- H331: | ATE INH-D/M- CAT 4- H332: |
| | PNEC Aqua(Fresh): | PNEC Aqua(Marine): |
| | PNEC Sediment(Fresh): | PNEC Sediment(Marine): |
| | PNEC Soil: | |
| monopropylene glycol (Propane-1,2-diol particulates) | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: 10 |
| (Fropane-1,2-ulor particulates) | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total | WEL 15 min limit mg/m3 total |
| | respirable dust: ATE ORL-CAT 1- H300: | respirable dust: ATE ORL-CAT 2- H300: |
| | ATE ORL-CAT 3- H301: | ATE ORL-CAT 2- 11300. ATE ORL-CAT 4- H302: |
| | ATE DRM-CAT 1- H310: | ATE DRM-CAT 2- H302. |
| | ATE DRM-CAT 3- H311: | ATE DRM-CAT 2-11310. ATE DRM-CAT 4- H312: |
| | ATE INH-GAS- CAT 1- H330: | ATE INH-GAS- CAT 2- H330: |
| | ATE INH-GAS- CAT 3- H331: | ATE INH-GAS- CAT 4- H332: |
| | ATE INH-VAP- CAT 1- H330: | ATE INH-VAP- CAT 2- H330: |
| | ATE INH-VAP- CAT 3- H331: | ATE INH-VAP CAT 4- H332: |
| | ATE INH-D/M- CAT 1- H330: | ATE INH-D/M- CAT 2- H330: |
| | ATE INH-D/M- CAT 3- H331: | ATE INH-D/M- CAT 4- H332: |
| | PNEC Aqua(Fresh): | PNEC Aqua(Marine): |
| | PNEC Sediment(Fresh): | PNEC Sediment(Marine): |
| | PNEC Soil: | |
| monopropylene glycol (Propane-1,2-diol total vapour and particulates) | WEL 8-hr limit ppm: 150 | WEL 8-hr limit mg/m3: 474 |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: ATE ORL-CAT 1- H300: | respirable dust: ATE ORL-CAT 2- H300: |
| | ATE ORL-CAT 3- H301: | ATE ORL-CAT 2-11000. |
| | ATE DRM-CAT 1- H310: | ATE DRM-CAT 2- H310: |
| | ATE DRM-CAT 3- H311: | ATE DRM-CAT 2-11310. |
| | ATE INH-GAS- CAT 1- H330: | ATE INH-GAS- CAT 2- H330: |
| | ATE INH-GAS- CAT 3- H331: | ATE INH-GAS- CAT 2-11330. ATE INH-GAS- CAT 4- H332: |
| | ATE INH-VAP- CAT 1- H330: | ATE INH-VAP- CAT 2- H330: |
| | ATE INH-VAP- CAT 3- H331: | ATE INH-VAP CAT 4- H332: |
| | | |



| 8.1.1. Exposure Limit Values | | |
|--------------------------------|---------------------------|---------------------------|
| monopropylene glycol | ATE INH-D/M- CAT 1- H330: | ATE INH-D/M- CAT 2- H330: |
| (Propane-1,2-diol total vapour | | |
| and particulates) | | |
| | ATE INH-D/M- CAT 3- H331: | ATE INH-D/M- CAT 4- H332: |
| | PNEC Aqua(Fresh): | PNEC Aqua(Marine): |
| | PNEC Sediment(Fresh): | PNEC Sediment(Marine): |
| | PNEC Soil: | |

8.2. Exposure controls

| 8.2.1. Appropriate engineering | Engineering measures. Keep in a cool, dry, well ventilated area. Store at temperatures above 5 °C. | |
|--------------------------------|--|--|
| controls | Store at temperatures below 25 °C. | |
| 8.2.2. Individual protection | Adopt best Manual Handling considerations when handling, carrying and dispensing. Wear | |
| measures | protective clothing. Wear suitable gloves and eye/face protection. | |
| Eye / face protection | Avoid contact with eyes. Eye wash bottle with water. Provide eye wash station. Wear eye/face | |
| | protection. | |
| Skin protection - | Wear suitable gloves. | |
| Handprotection | | |
| Skin protection - Other | After contact with skin, wash immediately with plenty of water. Wear suitable protective clothing | |
| | and gloves. | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Liquid |
|-------------------------|------------------|
| Colour | Blue |
| Odour | Mild |
| Odour threshold | Not determined |
| pH | 6 - 7.5 |
| Melting point | Not determined |
| Freezing Point | Not determined |
| Initial boiling point | Not determined |
| Evaporation rate | Not required |
| Vapour pressure | Not required |
| Relative Vapour Density | Not required |
| Explosive properties | Not determined |
| Solubility | Soluble in water |

9.2. Other information

| Conductivity | No data available |
|------------------|-------------------|
| Surface tension | No data available |
| Specific gravity | 1 - 1.1 |
| Gas group | Not required |
| | |

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.



Revision 4

Revision date 2023-01-24

| SECTION 10: Stability and reactivity | | |
|--------------------------------------|---|--|
| 10.2. Chemical stability | | |
| | Stable under normal conditions. | |
| 10.3. Possibility of hazardous re | actions | |
| | Keep only in the original container in a cool, well-ventilated place away from heat. No Significant Hazard. Will not decompose if stored and used as recommended. Do not mix with other detergents materials . Do not mix with bleach, acids, or strong oxidising agents. | |
| 10.4. Conditions to avoid | | |
| | Do NOT allow to freeze. Keep away from heat. Keep in a cool, dry, well ventilated area. Keep only in the original container at a temperature not exceeding 25 °C. Store at temperatures between 5 °C and 25 °C. | |
| 10.5. Incompatible materials | | |
| | No Significant Hazard. Will not decompose if stored and used as recommended. | |
| 10.6. Hazardous decomposition | products | |
| | No Significant Hazard. Will not decompose if stored and used as recommended. | |
| SECTION 11: Toxicological | information | |
| 11.1.4. Toxicological Information | 1 | |
| | No data available | |
| 11.2 Information on other hazard | ds | |
| | No data available. | |
| SECTION 12: Ecological info | ormation | |
| 12.1. Toxicity | | |
| | No data available | |
| 12.6 Endocrine disrupting properties | | |
| | No data available. | |
| 12.7 Other adverse effects | | |
| | No data available. | |
| SECTION 13: Disposal considerations | | |
| Disposal methods | | |
| | For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. Local and national regulations. This material and its container must be disposed of in a safe way. | |
| Disposal of packaging | | |
| | Empty containers can be cleaned with water. Empty containers can be sent for disposal or recycling. Local and national regulations. | |
| SECTION 14: Transport information | | |
| 14.1. UN number | | |
| | The product is not classified as dangerous for carriage. | |
| 14.2. UN proper shipping name | | |
| | The product is not classified as dangerous for carriage. | |
| 14.3. Transport hazard class(es) | | |
| | The product is not classified as dangerous for carriage. | |



14.4. Packing group The product is not classified as dangerous for carriage. 14.5. Environmental hazards The product is not classified as dangerous for carriage. 14.6. Special precautions for user The product is not classified as dangerous for carriage. 14.7 Maritime Transport in bulk according to IMO instruments The product is not classified as dangerous for carriage. SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Regulations COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC **SECTION 16: Other information** Other information . . ----

| Revision | This document differs from the previous version in the following areas:. |
|------------------------------|---|
| | 9 - 9.2.2. Other safety characteristics. |
| | 9 - 9.2.1. Information with regard to physical hazard classes. |
| | 11 - 11.2 Information on other hazards. |
| | 12 - 12.6 Endocrine disrupting properties. |
| | 12 - 12.7 Other adverse effects. |
| Text of Hazard Statements in | Flam. Liq. 2: H225 - Highly flammable liquid and vapour. |
| Section 3 | Eye Irrit. 2: H319 - Causes serious eye irritation. |
| | STOT SE 3: H336 - May cause drowsiness or dizziness. |
| Further information | |
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. The product is not classified as dangerous for carriage. |

