

SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Ultra Active 8 D.S.

Page 1/9

Revision 2 Revision date 2023-02-27

	Revision date 2023-02-27
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Ultra Active 8 D.S.
Product code	1051S / 1053S
1.3. Details of the supplier of the	e safety data sheet
Company	Serchem Limited
Address	Heatherset
	Arleston, off Dawley Road
	Wellington,
	Telford
	Shropshire TF1 2LY
	United Kingdom
Web	www.serchem.co.uk
Telephone	01952 223130
Fax	01952 222012
Email	support@serchem.co.uk
Email address of the	production@serchem.co.uk
competent person	
1.4. Emergency telephone numb	per
Emergency telephone number	01952 223130
	9.00 am - 5.00 pm Mon - Fri
	The National Poisons Information Service (NPIS)
	Industry: sds.npis@nhs.net
	Public: NHS 111 (England), NHS 24 (Scotland) or NHS Direct (Wales)
Further information	
	Contact out of office hours: 07734 874648 Mr A Arnold.
SECTION 2: Hazards identifi	ication
2.2. Label elements	
Risk phrases	No Significant Hazard
2.3. Other hazards	
Other hazards	This product is not classed as a PBT Substance.
SECTION 3: Composition/inf	formation on ingredients
3.2 Mixtures	

3.2. Mixtures



Revision 2 Revision date 2023-02-27

3.2. Mixtures

EC	1272/2008
----	-----------

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
1, 2 Dihydroxypropane		57-55-6	200-338-0			
(Propane-1,2-diol total vapour and						
particulates)						
monopropylene glycol		57-55-6	200-338-0			
(Propane-1,2-diol total vapour and						
particulates)						
Amylase, a-	647-015-00-4	9000-90-2	232-565-6			Resp. Sens. 1: H334;
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7			Flam. Lig. 2: H225; Eye Irrit.
		0.000	200 001 1			2: H319; STOT SE 3: H336;
Subtilisin (Subtilisins (Bacillus	647-012-00-8	9014-01-1	232-752-2			STOT SE 3: H335; Skin Irrit.
subtilis Carlsberg))						2: H315; Eye Dam. 1: H318;
						Resp. Sens. 1: H334;
Lipase		9001-62-1	232-619-9			Resp. Sens. 1: H334;
Cellulase	647-002-00-3	9012-54-8	232-734-4			Resp. Sens. 1: H334;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Seek medical attention if irritation or symptoms persist.
Eye contact	Avoid contact with eyes. Eye wash bottle with water. Remove casualty from exposure ensuring one's own safety whilst doing so. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist. Wash with water.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove casualty from exposure ensuring one's own safety whilst doing so. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist. Wash with water.
Ingestion	DO NOT INDUCE VOMITING. If swallowed, rinse mouth with water (only if the person is conscious). Never give anything by mouth to an unconscious person. Remove casualty from exposure ensuring one's own safety whilst doing so. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.
4.2. Most important symp	ptoms and effects, both acute and delayed
Inhalation	Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist.
Eye contact	Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist. Wash with water. Remove the affected person from the source of contamination immediately. Wash with water.
Skin contact	Avoid contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist. Wash with water. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
Ingestion	DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.
4.3. Indication of any imr	nediate medical attention and special treatment needed
Inhalation	Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist.
Eye contact	Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist. Wash with water.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Drench the affected skin with running water for 10 minutes



Revision 2

Revision date 2023-02-27

4.3. Indication of any immediate	medical attention and special treatment needed
Ingestion	or longer if substance is still on skin. Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist. Wash with water. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from	n the substance or mixture
	Use extinguishing media appropriate to the surrounding fire conditions. This product is not flammable.
5.3. Advice for firefighters	
	Protective equipment. Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Adopt best Manual Handling considerations when handling, carrying and dispensing. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. In case of accident by inhalation: remove casualty to fresh air and keep at rest. Provide eye wash station. Wear protective clothing. Wear suitable gloves and eye/face protection. Ensure adequate ventilation of the working area.
6.2. Environmental precautions	
	Accidental release measures. Dilute with water. local and national regulations. To clean the floor and all objects contaminated by this material, use water. Wash with water.
6.3. Methods and material for co	ntainment and cleaning up
	Absorb with inert, absorbent material. Clean spillage area thoroughly with plenty of water. Clean the area using a vacuum cleaner. Empty containers can be cleaned with water. Empty containers can be sent for disposal or recycling. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. local and national regulations. Wear suitable gloves and eye/face protection. Wear suitable protective clothing and eye/face protection.
6.4. Reference to other sections	
	See section 2,3,8, 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handlin	9
	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Do not eat, drink or smoke in areas where this product is used or stored. Eye protection. Handle and open container with care. Keep in a cool, dry, well ventilated area. Keep only in the original container at a temperature not exceeding 25 °C. Keep out of the reach of children. Wear suitable protective clothing, gloves and eye/face protection.
7.2. Conditions for safe storage,	including any incompatibilities
Suitable packaging	Do NOT allow to freeze. Handle and open container with care. Keep away from food, drink and animal feedingstuffs. Keep only in the original container in a cool, well-ventilated place. Store at temperatures between 5 °C and 25 °C. Store in original container. Keep only in the original container in a cool, well-ventilated place.



7.3. Specific end use(s)	
	Avoid contact with eyes. Avoid contact with skin. Do not eat, drink or smoke in areas where this product is used or stored. Do not handle in a confined space. Keep out of the reach of children. Wear suitable gloves. Wear suitable protective clothing. Wear suitable protective equipment. Wea suitable eye protection.
Suitable packaging	

Do NOT mix with any other product. Intended use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

See section 8.2 for further information.

8.1.1. Exposure Limit Values



 Revision
 2

 Revision date
 2023-02-27

8.1.1. Exposure Li	imit Values
--------------------	-------------

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total -
	WEL 8-hr limit mg/m3 total	inhalable dust: - WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
	ATE ORL-CAT 1- H300:	ATE ORL-CAT 2- H300:
	ATE ORL-CAT 3- H301:	ATE ORL-CAT 4- H302:
	ATE DRM-CAT 1- H310:	ATE DRM-CAT 2- H310:
	ATE DRM-CAT 3- H311:	ATE DRM-CAT 4- H312:
	ATE INH-GAS- CAT 1- H330:	ATE INH-GAS- CAT 2- H330:
	ATE INH-GAS- CAT 3- H331:	ATE INH-GAS- CAT 4- H332:
	ATE INH-VAP- CAT 1- H330:	ATE INH-VAP- CAT 2- H330:
	ATE INH-VAP- CAT 3- H331:	ATE INH-VAP CAT 4- H332:
	ATE INH-D/M- CAT 1- H330:	ATE INH-D/M- CAT 2- H330:
	ATE INH-D/M- CAT 3- H331:	ATE INH-D/M- CAT 4- H332:
	PNEC Aqua(Fresh):	PNEC Aqua(Marine):
	PNEC Sediment(Fresh):	PNEC Sediment(Marine):
	PNEC Soil:	
monopropylene glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Propane-1,2-diol particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
	ATE ORL-CAT 1- H300:	ATE ORL-CAT 2- H300:
	ATE ORL-CAT 3- H301:	ATE ORL-CAT 4- H302:
	ATE DRM-CAT 1- H310:	ATE DRM-CAT 2- H310:
	ATE DRM-CAT 3- H311:	ATE DRM-CAT 4- H312:
	ATE INH-GAS- CAT 1- H330:	ATE INH-GAS- CAT 2- H330:
	ATE INH-GAS- CAT 3- H331:	ATE INH-GAS- CAT 4- H332:
	ATE INH-VAP- CAT 1- H330:	ATE INH-VAP- CAT 2- H330:
	ATE INH-VAP- CAT 3- H331:	ATE INH-VAP CAT 4- H332:
	ATE INH-D/M- CAT 1- H330:	ATE INH-D/M- CAT 2- H330:
	ATE INH-D/M- CAT 3- H331:	ATE INH-D/M- CAT 4- H332:
	PNEC Aqua(Fresh):	PNEC Aqua(Marine):
	PNEC Sediment(Fresh):	PNEC Sediment(Marine):
	PNEC Soil:	
monopropylene glycol (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
	WEL 15 min limit name	
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 15 min init ppn WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total -
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: ATE ORL-CAT 1- H300:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: ATE ORL-CAT 2- H300:
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: ATE ORL-CAT 1- H300: ATE ORL-CAT 3- H301:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: ATE ORL-CAT 2- H300: ATE ORL-CAT 4- H302:
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: ATE ORL-CAT 1- H300: ATE ORL-CAT 3- H301: ATE DRM-CAT 1- H310:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: ATE ORL-CAT 2- H300: ATE ORL-CAT 4- H302: ATE DRM-CAT 2- H310:
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: ATE ORL-CAT 1- H300: ATE ORL-CAT 3- H301: ATE DRM-CAT 1- H310: ATE DRM-CAT 3- H311:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: ATE ORL-CAT 2- H300: ATE ORL-CAT 4- H302: ATE DRM-CAT 2- H310: ATE DRM-CAT 4- H312:
	WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust: ATE ORL-CAT 1- H300: ATE ORL-CAT 3- H301: ATE DRM-CAT 3- H310: ATE DRM-CAT 3- H311: ATE INH-GAS- CAT 1- H330:	WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust: ATE ORL-CAT 2- H300: ATE ORL-CAT 4- H302: ATE DRM-CAT 2- H310: ATE DRM-CAT 4- H312: ATE INH-GAS- CAT 2- H330:
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: ATE ORL-CAT 1- H300: ATE ORL-CAT 3- H301: ATE DRM-CAT 1- H310: ATE DRM-CAT 3- H311:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: ATE ORL-CAT 2- H300: ATE ORL-CAT 4- H302: ATE DRM-CAT 2- H310: ATE DRM-CAT 4- H312:



8.1.1. Exposure Limit Values		
monopropylene glycol (Propane-1,2-diol total vapour and particulates)	ATE INH-D/M- CAT 1- H330:	ATE INH-D/M- CAT 2- H330:
	ATE INH-D/M- CAT 3- H331:	ATE INH-D/M- CAT 4- H332:
	PNEC Aqua(Fresh):	PNEC Aqua(Marine):
	PNEC Sediment(Fresh):	PNEC Sediment(Marine):
	PNEC Soil:	

8.2. Exposure controls

8.2.1. Appropriate engineering	Engineering measures. Keep in a cool, dry, well ventilated area. Store at temperatures above 5 °C.
controls	Store at temperatures below 25 °C.
8.2.2. Individual protection	Adopt best Manual Handling considerations when handling, carrying and dispensing. Wear
measures	protective clothing. Wear suitable gloves and eye/face protection.
Eye / face protection	Avoid contact with eyes. Eye wash bottle with water. Provide eye wash station. Wear eye/face
	protection.
Skin protection -	Wear suitable gloves.
Handprotection	
Skin protection - Other	After contact with skin, wash immediately with plenty of water. Wear suitable protective clothing
	and gloves.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Mild
Odour threshold	Not determined
pH	7.5 - 8.7
Melting point	Not determined
Freezing Point	Not determined
Initial boiling point	Not determined
Evaporation rate	Not required
Vapour pressure	Not required
Relative Vapour Density	Not required
Explosive properties	Not determined
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	1 - 1.1
Gas group	Not required

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.



2 Revision

Revision date 2023-02-27

SECTION 10: Stability and	I reactivity
10.2. Chemical stability	
	Stable under normal conditions.
10.3. Possibility of hazardous	reactions
	Keep only in the original container in a cool, well-ventilated place away from heat. No Significant Hazard. Will not decompose if stored and used as recommended. Do not mix with other detergents materials . Do not mix with bleach, acids, or strong oxidising agents.
10.4. Conditions to avoid	
	Do NOT allow to freeze. Keep away from heat. Keep in a cool, dry, well ventilated area. Keep only in the original container at a temperature not exceeding 25 °C. Store at temperatures between 5 °C and 25 °C.
10.5. Incompatible materials	
	Oxidising agents. Reducing agents. Acids. Alkalis.
10.6. Hazardous decomposition	on products
	No Significant Hazard. Will not decompose if stored and used as recommended.
SECTION 11: Toxicologica	al information
11.1 Information on hazard cla	
Acute toxicity	Oral Rat LD50 =.
11.1.2. Mixtures	
TT.T.Z. MIXIURES	
	No data available. No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Informat	ion
Isopropanol	Oral Mouse LD50: 5840 mg/kg
monopropylene glycol Ultra Active 8 D.S.	Oral Mouse LD50: >20,000 mg/kg Dermal Rabbit LD50: >2000 mg/kg Dermal Rat LD50: 2.000.0 Oral Rat LD50: 2.000.0
	No data available.
11.2 Information on other haz	ards
	No data available.
SECTION 12: Ecological in	nformation
12.1. Toxicity	
· · · · · · · · · · · · · · · · · · ·	No data available
12.6 Endocrine disrupting pro	
	No data available.
12.7 Other adverse effects	
	No data available.
SECTION 13: Disposal co	nsiderations
Disposal methods	
	For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. Local and national regulations. This material and its container must be disposed of in a safe way.
Disposal of packaging	



Disposal of packaging	
	Empty containers can be cleaned with water. Empty containers can be sent for disposal or recycling. Local and national regulations.
SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for use	er
	The product is not classified as dangerous for carriage.
14.7 Maritime Transport in bulk a	according to IMO instruments
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory info	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 793/93 and Commission and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/105/EC and 2000/21/EC.
Further information	
	No Significant Hazard.
SECTION 16: Other informat	ion
Other information	
Text of Hazard Statements in Section 3	 Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information



Further information	
	relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. The product is not classified as
	dangerous for carriage.

