

SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/8

Phoenix Washer Disinfector Detergent

Revision 6
Revision date 2023-01-24

SECTION 1: Identific	cation of the substance/mixtu	re and of the company/undertaking

1.1. Product identifier

Product name Phoenix Washer Disinfector Detergent

Product code 101091/1088/1090/10901/1091/1092/1093/2091/51091

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Detergent.

1.3. Details of the supplier of the safety data sheet

Company Serchem Limited
Address Heatherset

Arleston, off Dawley Road

Wellington, Telford Shropshire

TF1 2LY United Kingdom

www.serchem.co.uk

 Telephone
 01952 223130

 Fax
 01952 222012

Email support@serchem.co.uk

Email address of the production@serchem.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number | 0195

01952 223130

9.00 am - 5.00 pm Mon - Fri

The National Poisons Information Service (NPIS)

Industry: sds.npis@nhs.net

Public: NHS 111 (England), NHS 24 (Scotland) or NHS Direct (Wales)

Further information

Web

Contact out of office hours: 07734 874648 Mr A Arnold.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC Eye Irrit. 2: H319; **1272/2008**

2.2. Label elements

Hazard pictograms



Revision 6 Revision date 2023-01-24

2.2. Label elements

Signal Word	Warning	
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Precautionary Statement:	P264 - Wash thoroughly after handling.	
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
Response	lenses, if present and easy to do. Continue rinsing.	
	P337+P313 - If eye irritation persists: Get medical advice/attention.	

2.3. Other hazards

Other hazards	This substance is not identified as a PBT substance.
Culci liazalus	I THIS SUDSIGNED IS NOT IDENTIFIED AS A FIDE SUDSIGNED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Potassium polyphosphate aqueous solution					20 - 30%	Eye Irrit. 2: H319;
1, 2 Dihydroxypropane (Propane-1,2-diol total vapour and particulates)		57-55-6	200-338-0		1 - 10%	
Acrylic acid	607-061-00-8	79-10-7	201-177-9		0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1A: H314; Aquatic Acute 1: H400;
Subtilisin (Subtilisins (Bacillus subtilis Carlsberg))	647-012-00-8	9014-01-1	232-752-2		0 - 0.5%	STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318; Resp. Sens. 1: H334;

Particle Characteristics

An Aqueous blend of polyphosphates, soil suspending agents.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove casualty from exposure ensuring one's own safety whilst doing so. Seek medical attention if irritation or symptoms persist.
Eye contact	Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Wash with water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.
Ingestion	Remove casualty from exposure ensuring one's own safety whilst doing so. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist.	
Eye contact	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.	
Skin contact	After contact with skin, wash immediately with plenty of water. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.	

Revision 6 Revision date 2023-01-24

	Revision date 2023-01-2		
4.2. Most important symptoms	and effects, both acute and delayed		
Ingestion	Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.		
4.3. Indication of any immediate	e medical attention and special treatment needed		
Inhalation	Remove the affected person from the source of contamination immediately. Seek medical attention if irritation or symptoms persist.		
Eye contact	Avoid contact with eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.		
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Avoid contact with skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Seek medical attention if irritation or symptoms persist.		
Ingestion	Remove the affected person from the source of contamination immediately. Rinse mouth thoroughly. Seek medical attention if irritation or symptoms persist.		
SECTION 5: Firefighting me	easures		
5.1. Extinguishing media			
	Use extinguishing media appropriate to the surrounding fire conditions.		
5.2. Special hazards arising fro	m the substance or mixture		
	Material is not flammable and not considered a fire hazard.		
5.3. Advice for firefighters	-		
	Protective equipment. Self-contained breathing apparatus. Wear suitable respiratory equipment when necessary.		
SECTION 6: Accidental rele	ease measures		
	ective equipment and emergency procedures		
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Wear suitable protective clothing, gloves and eye/face protection.		
6.2. Environmental precautions	·		
	Accidental release measures. Do not allow product to enter drains. Do not allow runoff water to enter sewers or drains. local and national regulations.		
6.3. Methods and material for c	ontainment and cleaning up		
	Absorb with inert, absorbent material. Sand. Solid. Do not allow product to enter drains. Do not allow runoff water to enter sewers or drains. Do not empty into drains; dispose of this material and its container in a safe way.		
6.4. Reference to other sections	s		
	See section 2,3,8,13 for further information.		
SECTION 7: Handling and	storage		
7.1. Precautions for safe handli	-		
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Do not empty into drains. Do not empty into drains; dispose of this material and its container in a safe way. Wear suitable protective clothing, gloves and eye/face protection.		
7.2. Conditions for safe storage	, including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep only in the original container. Store at temperatures between 5 °C and 25 °C. Store in original container.		
Suitable packaging	Keep container tightly closed and dry. Keep only in the original container in a cool, well-ventilated place. Store in original container.		
7.3. Specific end use(s)			
	Detergent.		

Revision 6 Revision date 2023-01-24

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

See section 8.2 for further information.

8.1.1. Exposure Limit Values



Revision 6 Revision date 2023-01-24

8.1.1. Exposure Limit Values


1, 2 Dihydroxypropane (Propane-1,2-diol particulates)	WEL 8-hr limit ppm:	- WEL 8-hr limit mg/m3 : 10
(i repaire 1,2 dier paraeulatee)	WEL 15 min limit ppm:	- WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total	- WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	
	respirable dust: ATE ORL-CAT 1- H300:	respirable dust: ATE ORL-CAT 2- H300:
	ATE ORL-CAT 1- H300: ATE ORL-CAT 3- H301:	ATE ORL-CAT 2- H300: ATE ORL-CAT 4- H302:
	ATE DRM-CAT 1- H310:	ATE DRM-CAT 2- H310: ATE DRM-CAT 4- H312:
	ATE INIL CAS CAT 1 1330	
	ATE INH-GAS- CAT 1- H330: ATE INH-GAS- CAT 3- H331:	ATE INH-GAS- CAT 2- H330: ATE INH-GAS- CAT 4- H332:
	ATE INH-VAP- CAT 1- H330:	ATE INIL VAP CAT 4 11990
	ATE INH-VAP- CAT 3- H331:	ATE INH-VAP CAT 4- H332:
	ATE INH-D/M- CAT 1- H330:	ATE INH-D/M- CAT 2- H330:
	ATE INH-D/M- CAT 3- H331:	ATE INH-D/M- CAT 4- H332:
	PNEC Aqua(Fresh):	PNEC Aqua(Marine):
	PNEC Sediment(Fresh):	PNEC Sediment(Marine):
	PNEC Soil:	
1, 2 Dihydroxypropane	WEL 8-hr limit ppm:	150 WEL 8-hr limit mg/m3: 474
(Propane-1,2-diol total vapour and particulates)		
and parasalates,	WEL 15 min limit ppm:	- WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total	- WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	
	respirable dust: ATE ORL-CAT 1- H300:	respirable dust: ATE ORL-CAT 2- H300:
	ATE ORL-CAT 3- H301:	ATE ORL-CAT 2-11000. ATE ORL-CAT 4- H302:
	ATE DRM-CAT 1- H310:	ATE DRM-CAT 2- H310:
	ATE DRM-CAT 3- H311:	ATE DRM-CAT 2-11310. ATE DRM-CAT 4- H312:
	ATE INH-GAS- CAT 1- H330:	ATE INH-GAS- CAT 2- H330:
	ATE INH-GAS- CAT 3- H331:	ATE INH-GAS- CAT 2-11330:
	ATE INH-VAP- CAT 1- H330:	ATE INH-VAP- CAT 2- H330:
	ATE INH-VAP- CAT 3- H331:	ATE INH-VAP CAT 4- H332:
	ATE INH-D/M- CAT 1- H330:	ATE INI-D/M- CAT 2- H330:
	ATE INH-D/M- CAT 1-11330: ATE INH-D/M- CAT 3- H331:	ATE INH-D/M- CAT 2-11330:
	PNEC Aqua(Fresh):	PNEC Aqua(Marine):
	PNEC Sediment(Fresh):	PNEC Sediment(Marine):
	PNEC Soil:	r NEO Ocumentalino).
Subtilisin (Subtilisins (Bacillus	WEL 8-hr limit ppm:	- WEL 8-hr limit mg/m3 : 0.00004
subtilis Carlsberg))	77 <u>2</u>	1722 5 11 min 11g/1161 5.5555 1
<i></i>	WEL 15 min limit ppm:	- WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total	- WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	- WEL 15 min limit mg/m3 total - respirable dust:
	ATE ORL-CAT 1- H300:	ATE ORL-CAT 2- H300:
	ATE ORL-CAT 3- H301:	ATE ORL-CAT 4- H302:
	ATE DRM-CAT 1- H310:	ATE DRM-CAT 2- H310:
	ATE DRM-CAT 3- H311:	ATE DRM-CAT 4- H312:
	ATE INH-GAS- CAT 1- H330:	ATE INH-GAS- CAT 2- H330:
	ATE INH-GAS- CAT 3- H331:	ATE INH-GAS- CAT 4- H332:
	ATE INH-VAP- CAT 1- H330:	ATE INH-VAP- CAT 2- H330:

Revision 6 Revision date 2023-01-24

8.1.1. Exposure Limit Values

Subtilisin (Subtilisins (Bacillus	ATE INH-VAP- CAT 3- H331:	ATE INH-VAP CAT 4- H332:
subtilis Carlsberg))	ATE INH-D/M- CAT 1- H330:	ATE INH-D/M- CAT 2- H330:
	ATE INT-D/N- CAT 1- 1330.	ATE IND-D/W- CAT 2- 0330.
	ATE INH-D/M- CAT 3- H331:	ATE INH-D/M- CAT 4- H332:
	PNEC Aqua(Fresh):	PNEC Aqua(Marine):
	PNEC Sediment(Fresh):	PNEC Sediment(Marine):
	PNEC Soil:	

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Slight
Odour threshold	Not required
pН	7 - 8.5
Initial boiling point	100
Flash point	150
Evaporation rate	Not determined
Vapour pressure	Not required
Relative Vapour Density	Not required
Viscosity	Not determined
Solubility	Soluble in water

9.2. Other information

Conductivity	Not determined
Surface tension	Not determined
Specific gravity	1.18 - 1.22
Gas group	Not required

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available

SECTION 10: Stability and reactivity

Revision 6 Revision date 2023-01-24

10.1. Reactivity	Revision date 2023-01-24
10.1. Reactivity	Stable under recommended transport or storage conditions.
10.2. Chemical stability	Class and recommended dampers of closego containents
	Stable under normal conditions.
10.3. Possibility of hazardous re	ı
·	Do not mix with other detergents materials. Do not mix with bleach , acids , or strong oxidising agents.
10.4. Conditions to avoid	
	Keep away from heat. Keep only in the original container at a temperature not exceeding 25 °C.
10.5. Incompatible materials	
	Acids. Bases. Oxidising agents. Strong acids. Keep away from bleach , or other detergents materials.
SECTION 11: Toxicological	information
11.1.4. Toxicological Information	1
	No data available
11.2 Information on other hazard	ds
	No data available.
SECTION 12: Ecological info	ormation
12.1. Toxicity	
,	No data available
12.6 Endocrine disrupting prope	1
1 01 1	No data available.
12.7 Other adverse effects	'
	No data available.
SECTION 13: Disposal cons	iderations
Disposal methods	
Disposal mouncus	Do not empty into drains; dispose of this material and its container in a safe way. Local and national regulations. This material and its container must be disposed of in a safe way.
Disposal of packaging	
	Local and national regulations. Clean the empty containers first with plenty of water. Containers can be recycled if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es))
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.

Revision 6 Revision date 2023-01-24

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7 Maritime Transport in bulk according to IMO instruments

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Lig. 3: H226 - Flammable liquid and vapour.

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H312 - Harmful in contact with skin.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Acute Tox. 4: H332 - Harmful if inhaled.

STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage.

Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.